


suit for shaft diameter
 $\phi 24\text{-}\phi 480\text{ mm}$





LOCK 16

Dimensions					Rated Load		Screws DIN 912-12.9		
d [mm]	D [mm]	Dw [mm]	L [mm]	B [mm]	Mt [Nm]	Ft [kN]	QTY.	Type	Ms [Nm]
24	50	19	14	19.5	170	25	6	M5	4
		20			210	27			
		21			250	29			
30	60	24	16	21.5	300	29	7	M5	4
		25			340	31			
		26			380	33			
36	72	28	18	23.5	440	50	5	M6	12
		30			570	58			
		31			630	58			
44	80	32	20	25.5	620	64	7	M6	12
		35			780	74			
		36			860	77			
50	90	38	22	27.5	940	79	8	M6	12
		40			1160	86			
		42			1380	92			
55	100	42	23	30.5	1160	79	8	M6	12
		45			1520	88			
		48			1880	97			
62	110	48	23	30.5	1850	100	10	M6	12
		50			2200	111			
		52			2400	117			
68	115	50	23	30.5	2000	97	10	M6	12
		55			2500	106			
		60			3150	120			
75	138	55	25	32.5	2500	119	7	M8	30
		60			3200	137			
		65			3950	155			
80	145	60	25	32.5	3200	124	7	M8	30
		65			3900	140			
		70			4600	158			
85	155	65	30	39	4800	175	10	M8	30
		70			6100	195			
		75			7400	216			

Weitere Größen auf Anfrage
Additional sizes on request

Änderungen und Rechte vorbehalten
Subject to alteration



suit for shaft diameter
 $\phi 24\text{--}\phi 480\text{ mm}$





LOCK 16

Dimensions					Rated Load		Screws DIN 912-12.9		
d [mm]	D [mm]	Dw [mm]	L [mm]	B [mm]	Mt [Nm]	Ft [kN]	QTY.	Type	Ms [Nm]
90	155	65	30	39	4750	170	10	M8	30
		70			6000	190			
		75			7250	210			
100	170	70	34	44	6900	195	12	M8	30
		75			7500	220			
		80			9000	240			
110	185	75	39	50	7200	229	9	M10	59
		80			9000	252			
		85			10800	262			
115	188	80	39	50	7400	235	9	M10	59
		85			9200	259			
		90			11100	269			
120	215	80	42	54	10600	285	12	M10	59
		85			13300	314			
		90			14500	340			
125	215	85	42	54	11000	296	12	M10	59
		90			13000	324			
		95			15000	352			
130	215	90	42	54	11300	304	12	M10	59
		95			13300	333			
		100			15400	362			
140	230	95	46	60.5	15100	367	10	M12	100
		100			17600	396			
		105			20100	425			
155	265	105	50	64.5	22000	447	12	M12	100
		110			25000	478			
		115			28000	509			
160	265	110	50	64.5	22600	460	12	M12	100
		115			25700	490			
		120			28800	520			
165	290	115	56	71	31000	595	8	M16	250
		120			35000	630			
		125			39000	655			

Weitere Größen auf Anfrage
Additional sizes on request

Änderungen und Rechte vorbehalten
Subject to alteration



suit for shaft diameter
 $\phi 24\text{--}\phi 480\text{ mm}$





LOCK 16

Dimensions					Rated Load		Screws DIN 912-12.9		
d [mm]	D [mm]	Dw [mm]	L [mm]	B [mm]	Mt [Nm]	Ft [kN]	QTY.	Type	Ms [Nm]
170	290	120	56	71	31.9	610	8	M16	250
		125			36	640			
		130			40.1	670			
175	300	125	56	71	36	605	8	M16	250
		130			41	639			
		135			45	675			
180	300	130	56	71	37	800	8	M16	250
		135			42.2	840			
		140			46.3	885			
185	330	135	71	86	52	778	10	M16	250
		140			57	819			
		145			62	861			
190	330	140	71	86	63.5	800	10	M16	250
		145			58.7	840			
		150			63.8	885			
195	350	140	71	86	65	933	12	M16	250
		150			76	1025			
		155			81.5	1071			
200	350	150	71	86	74	990	12	M16	250
		155			80	1035			
		160			86	1080			
220	370	160	88	104	95	1190	15	M16	250
		165			102	1239			
		170			110	1290			
240	405	170	92	109	120	1464	12	M20	490
		180			138	1576			
		190			156	1675			
260	430	190	103	120	164	1760	14	M20	490
		200			184	1880			
		210			205	2010			
280	460	210	114	134	217	2090	16	M20	490
		220			244	2220			
		230			270	2350			

Weitere Größen auf Anfrage
Additional sizes on request

Änderungen und Rechte vorbehalten
Subject to alteration



suit for shaft diameter
 $\phi 24\text{-}\phi 480\text{ mm}$



LOCK 16

Dimensions					Rated Load		Screws DIN 912-12.9		
d [mm]	D [mm]	Dw [mm]	L [mm]	B [mm]	Mt [kNm]	Ft [kN]	QTY.	Type	Ms [Nm]
300	485	230	122	142	275	2431	18	M20	490
		240			295	2567			
		245			315	2636			
320	520	240	122	142	312	2647	20	M20	490
		250			340	2786			
		260			374	2900			
340	570	250	134	156	390	3119	24	M20	490
		260			422.5	3249			
		270			460	3400			
350	580	270	140	162	442	3276	24	M20	490
		280			480	3430			
		285			500	3500			
360	590	280	140	162	463	3310	24	M20	490
		290			502	3461			
		295			522	3536			
380	645	290	144	168	567	3910	20	M24	840
		300			610	4080			
		310			658	4248			
390	660	300	144	168	624	4160	21	M24	840
		310			671	4330			
		320			718	4484			
400	680	315	144	168	670	4260	21	M24	840
		320			695	4345			
		330			744	4500			
420	690	330	164	188	780	4850	24	M24	840
		340			840	5040			
		350			900	5220			
440	750	340	177	202	806	4740	24	M24	840
		350			860	4910			
		360			917	5090			
460	770	360	177	202	1000	5670	28	M24	840
		370			1070	5860			
		380			1140	6050			
480	800	380	188	213	1170	6150	30	M24	840
		390			1240	6350			
		400			1310	6550			

Weitere Größen auf Anfrage
Additional sizes on request

Änderungen und Rechte vorbehalten
Subject to alteration